

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: August 2016

Void After: August 2017

Product: Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining DWV Sewer, Sanitary, and Storm Plumbing Systems for Above and Below Ground Use.

File No. 3251

Issued To: Cremco/Anaco®
1001 El Camino Ave.
Corona, CA 92879-1704

Identification: Each coupling shall be permanently marked with the manufacturer's name or trademark and country of origin. The type, class and size of pipe for which the coupling is intended shall be marked on or attached to each coupling and shall be visible after installation. All couplings shall be marked with "ASTM C 1461". Product shall also be bear the UPC® certification mark.

Characteristics: Mechanical couplings using thermoplastic elastomeric gaskets for use with plain end drain, waste, and vent (DWV) pipe and plain end sewer pipe. Used to axially join plain end pipes and fittings in non-pressure drain, waste, and vent (DWV) and sewer systems inside and outside of buildings, above ground and buried underground. The plain end pipes and plain end fittings to be joined shall be of similar or dissimilar material having same or different sizes. To be installed in accordance with manufacturer's installation instruction.

Products listed on this certificate have been tested by an IAPMO R&T


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

Void After: August 2017

Product: Mechanical Couplings Using Thermoplastic Elastomeric
(TPE) Gaskets for Joining DWV Sewer, Sanitary, and Storm
Plumbing Systems for Above and Below Ground Use.

File No. 3251

Issued To: Cremco/Anaco®

recognized laboratory. This recognition has been granted based upon the
laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

ASTM C1461-2008



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

Void After: August 2017

Product: Mechanical Couplings Using Thermoplastic Elastomeric
(TPE) Gaskets for Joining DWV Sewer, Sanitary, and
Storm Plumbing Systems for Above and Below Ground Use.
Issued To: ~~Cremco/Anaco~~

File No. 3251

MODELS:

RIGID-QUIK™

<u>MODEL NO.</u>	<u>SUFFIX</u>	<u>DESCRIPTION</u>
6010/2230	1CP/OK	1-1/2" cast iron or plastic x 1-1/4" copper
6011-S		1-1/2" x 1-1/2" cast iron slip-on coupling
6011/2231	1CP/1CP	1-1/2" cast iron or plastic x 1-1/2" cast iron or plastic
6012/2232	1CP/1KOP	1-1/2" cast iron or plastic x 1-1/2" copper or 1-1/4" plastic
6020/2233	2CP/OK	2" cast iron or plastic x 1-1/4" copper 2CP/1CP
		2" cast iron or plastic x 1-1/2" cast iron or plastic
6022/2240	2CP/1KOP	2" cast iron or plastic x 1-1/2" copper or 1-1/4" plastic
6023/2241	2CP/2CP	2" cast iron or plastic x 2" cast iron or plastic
6023-S		2" x 2" cast iron slip-on coupling
6024/2242	2CP/2K	2" cast iron or plastic x 2" copper
6030/2243	3CP/OK	3" cast iron or plastic x 1-1/4" copper
6031/2244	3CP/1CP	3" cast iron or plastic x 1-1/2" cast iron or plastic
6032/2250	3CP/1KOP	3" cast iron or plastic x 1-1/2" copper or 1-1/4" plastic
6033/2251	3CP/2CP	3" cast iron or plastic x 2" cast iron or plastic
6034/2252	3CP/2K	3" cast iron or plastic x 2" copper
6035/2253	3CP/3CP	3" cast iron or plastic x 3" cast iron or plastic
6035-S		3" x 3" cast iron slip-on coupling
6036/2254	3CP/3K	3" cast iron or plastic x 3" copper
6040/2260	4CP/2CP	4" cast iron or plastic x 2" cast iron or plastic
6041/2261	4CP/3CP	4" cast iron or plastic x 3" cast iron or plastic
6042/2262	4CP/3K	4" cast iron or plastic x 3" copper
6043/2263	4CP/4CP	4" cast iron or plastic x 4" cast iron or plastic
6043-S		4" x 4" cast iron slip-on coupling